

برگشت (/Panel/Labs/Answers/47998)

چاپ

دوره پنجاه و سوم زمستان 1404

S2 Results

نمونه مجهول ToRCH

کد نمونه 1173	EQAP-18421	آزمایشگاه آزمایشگاه آرامش
---------------	------------	---------------------------

Anti-CMV (IgG)

Anti-HSV1 (Anti-Herpes Type1 IgG)

Anti-Rubella (IgG)

Anti-Toxoplasma (IgG)

Anti-CMV (IgG)

جدول شماره 1. میزان مشارکت در این دوره-آزمایش

جدول شماره 2. توزیع فراوانی نتایج گزارش شده توسط شرکت کنندگان براساس روش

تذکر. نتیجه مورد قبول برای این آزمایش پاسخ + بوده است. نتیجه ارائه شده توسط آزمایشگاه شما با علامت

← مشخص شده است.

تعداد ثبت نام کنندگان	تعداد شرکت کنندگان	کل درصد مشارکت	تعداد پاسخهای دریافتی	درصد پاسخدهی
191	168	% 87.96	144	% 85.71

Method	Count				Percent		
	Total	Positive	Indeterminate	Negative	Positive	Indeterminate	Negative
CL	45	45	0	0	%100.00	%0.00	%0.00
ECL	21	20	0	1	%95.24	%0.00	%4.76
ELFA	2	2	0	0	%100.00	%0.00	%0.00
ELISA	70	69	0	1	%98.57	%0.00	%1.43
Immunochromatography	0	0	0	0	%0.00	%0.00	%0.00
Other	6	4	1	1	%66.67	%16.67	%16.67

جدول شماره 3. توزیع فراوانی نتایج کیفی گزارش شده به تفصیل بر اساس کیت و روش

Method	Kit	Result	Count	Your Answer
CL	Not Reported	Positive	1	
	Abbott	Positive	10	
	Architect	Positive	2	
	Dia Sorin	Positive	18	
	Liaison	Positive	3	
	Maglumi	Not Reported	1	
		Positive	3	
	Ortho	Positive	1	
	Roche	Positive	1	
	Siemens	Positive	6	
ECL	Abbott	Positive	2	
	Cobas	Not Reported	1	
		Positive	1	
	Liaison	Positive	1	
	Maglumi	Positive	1	
	Roche	Negative	1	
Positive		15		
ELFA	Chorus	Positive	2	
ELISA	Not Reported	Positive	3	
	Abbott	Positive	1	
	Chorus	Positive	5	
	Diesse-Tec	Positive	2	
	Euroimmun	Positive	3	
	Pishtaz Teb	Negative	1	
		Positive	50	←
	Vircell	Positive	5	
Other	Chorus	Indeterminate	1	
		Positive	2	
	Diesse-Tec	Positive	2	
	Maglumi	Negative	1	

Copyright © 2026 IAELD. All rights reserved.